

Innovazione e qualità italiana
Italian innovation and quality

POWER *mix*

SFOGLIATRICE MANUALE | SERIE LB-LT-LF
MANUAL SHEETER LB-LT-LF SERIES



SERIE LB-LT

LB500



LT500




OPTIONAL

OPTIONAL / OPTION / OPCIONALES / ОПЦИЯ



Gruppo di taglio per croissant, pizzette, ecc (LF600P/PM)
 Cutting equipment for croissants, pizzas, etc (LF600P/PM)
 Groupe de coupe pour croissants, petites pizzas, etc (LF600P/PM)
 Unidad de corte croissant, pizzas, etc (LF600P/PM)
 Блок резки для круассанов, пиццы и т. д. (LF600P/PM)



Esempi di rulli da taglio
 Examples of cutting rollers
 Exemples de rouleaux de coupe
 Ejemplos de rodillos de corte
 Примеры роликов резки

LB/LT: LARGHEZZA TAPPETO / WIDTH BELT
 LARGEUR TAPIS / ANCHO DE LA CINTA
 ШИРИНА ПОЛОТНА

LB/LT: LUNGHEZZA TAPPETO / BELT LENGHT / LONGUEUR TAPIS /
 LONGITUD DE LA CINTA / ДЛИНА КОБЕР

500

500

700

850

1000

1200



LF600

Modello Model Modèle Modelo Модель	Dimensioni Dimensions Dimensions Dimensiones Размеры и вес см / см							Peso Weight Poids Peso Вес kg / кг
	A	B	C	D	E	F	G	
LB500-50	50	50	112	-	38	70	92	150
LB500-70	50	70	152	-	38	70	92	160
LB500-85	50	95	207	240	38	70	92	165
LB500-100	50	110	237	270	38	70	92	170
LB500-120	50	130	277	310	38	70	92	180
LT500-50	50	50	112	145	58	138	92	180
LT500-70	50	70	152	185	58	138	92	190
LT500-85	50	95	207	240	58	138	92	195
LT500-100	50	110	237	270	58	138	92	200
LT500-120	50	130	277	310	58	138	92	210
LF600-85	60	97	207	259	62	117	106	250
LF600-100	60	112	237	289	62	117	106	250
LF600-120	60	132	277	329	62	117	106	260
LF600-140	60	152	317	369	62	117	106	270
LF600-160	60	172	337	409	62	117	106	285

Modello Model Modèle Modelo Модель	Dimensioni e peso con imballo Dimensions and weight with packaging Dimensions et poids avec emballage Dimensiones y peso incluido el embalaje Размеры и вес с упаковкой см / см			
	H	I	L	kg / кг

LB500		145	110	120	195
		145	110	120	205
		145	110	120	210
		145	110	120	215
		165	110	120	225
LT500		180	120	112	225
		180	120	112	235
		200	120	112	240
		215	120	112	245
		235	120	112	255
LF600		180	120	112	310
		180	120	112	310
		180	120	112	320
		180	120	112	330
		200	120	112	350
LF600		190	120	140	310
		205	120	140	310
		225	120	140	320
		250	120	140	330
		270	120	140	350

LF: LARGHEZZA TAPPETO / WIDTH BELT
LARGEUR TAPIS / ANCHO DE LA CINTA
ШИРИНА ПОЛОТНА

LF: LUNGHEZZA TAPPETO / BELT LENGTH / LONGUEUR TAPIS /
LONGITUD DE LA CINTA / ДЛИНА КОВЕР

600

850 1000 1200 1400 1600

DATI TECNICI


TECHNICAL SPECIFICATIONS / CARACTÉRISTIQUES TECHNIQUES / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Modello Model Modèle Modelo Модель	Lunghezza tavoli Length of tables Longueur tables Longitud de los planos Длина столов	Lunghezza cilindri Length of cylinders Longueur cylindres Longitud de los cilindros Длина цилиндров	Diametro cilindri Diameter of cylinders Diamètre cylindres Diámetro de los cilindros Диаметр цилиндров	Apertura cilindri Cylinder aperture Ouverture cylindres Apertura de los cilindros Открытие цилиндров	Velocità tappeto uscita Output belt speed Vitesse tapis sortie Velocidad de la cinta de salida Скорость выходного полотна	Potenza Power Puissance Potencia Мощность	Volt Volts Volt Voltios Вольт	Peso Weight Poids Peso Вес
	mm / мм	mm / мм	mm / мм	mm / мм	m/min	kw / кВт		kg / кг
LB500-50	500	500	60	0-36	35	0,55	400/50-60/3	150
LB500-70	700	500	60	0-36	35	0,55	400/50-60/3	160
LB500-85	850	500	60	0-36	35	0,55	400/50-60/3	165
LB500-100	1000	500	60	0-36	35	0,55	400/50-60/3	170
LB500-120	1200	500	60	0-36	35	0,55	400/50-60/3	180
LB500PM50	500	500	60	0-36	10-60	0,55	230/50-60/1	150
LB500PM70	700	500	60	0-36	10-60	0,55	230/50-60/1	160
LB500PM85	850	500	60	0-36	10-60	0,55	230/50-60/1	165
LB500PM100	1000	500	60	0-36	10-60	0,55	230/50-60/1	170
LB500PM120	1200	500	60	0-36	10-60	0,55	230/50-60/1	180
LT500-70	700	500	60	0-36	35	0,55	400/50-60/3	190
LT500-85	850	500	60	0-36	35	0,55	400/50-60/3	195
LT500-100	1000	500	60	0-36	35	0,55	400/50-60/3	200
LT500-120	1200	500	60	0-36	35	0,55	400/50-60/3	210
LT500P-70	700	500	60	0-36	10-60	0,55	400/50-60/3	190
LT500P-85	850	500	60	0-36	10-60	0,55	400/50-60/3	195
LT500P-100	1000	500	60	0-36	10-60	0,55	400/50-60/3	200
LT500P-120	1200	500	60	0-36	10-60	0,55	400/50-60/3	210
LT500PM70	700	500	60	0-36	10-60	0,55	230/50-60/1	190
LT500PM85	850	500	60	0-36	10-60	0,55	230/50-60/1	195
LT500PM100	1000	500	60	0-36	10-60	0,55	230/50-60/1	200
LT500PM120	1200	500	60	0-36	10-60	0,55	230/50-60/1	210
LF600-85	850	600	80	0-50	35	0,75	400/50-60/3	250
LF600-100	1000	600	80	0-50	35	0,75	400/50-60/3	250
LF600-120	1200	600	80	0-50	35	0,75	400/50-60/3	260
LF600-140	1400	600	80	0-50	35	0,75	400/50-60/3	270
LF600-160	1600	600	80	0-50	35	0,75	400/50-60/3	285
LF600P-85	850	600	80	0-50	10-60	0,75	400/50-60/3	250
LF600P-100	1000	600	80	0-50	10-60	0,75	400/50-60/3	250
LF600P-120	1200	600	80	0-50	10-60	0,75	400/50-60/3	260
LF600P-140	1400	600	80	0-50	10-60	0,75	400/50-60/3	270
LF600P-160	1600	600	80	0-50	10-60	0,75	400/50-60/3	285
LF600PM85	850	600	80	0-50	10-60	0,75	230/50-60/1	250
LF600PM100	1000	600	80	0-50	10-60	0,75	230/50-60/1	250
LF600PM120	1200	600	80	0-50	10-60	0,75	230/50-60/1	260
LF600PM140	1400	600	80	0-50	10-60	0,75	230/50-60/1	270
LF600PM160	1600	600	80	0-50	10-60	0,75	230/50-60/1	285


DIMENSIONI E PESO

DIMENSIONS AND WEIGHT / DIMENSIONS ET POIDS / DIMENSIONES Y PESO / РАЗМЕРЫ И ВЕС


LB500-50/70



LB500-85/100/120



LT500-50/70/85/100/120



LF600-85/100/120/140/160

